



AIR GAUGES

RECALIBRATABLE TRUCK GAUGE



Regular Extension Service Gage (D.H. Chuck with Straight Foot for the newer style inner Duals.) Adjusting screw in the end of the metal bar to calibrate.

Part#	Description
GA155RCL	Truck Gauge w/metal bar Adjustable

MILTON TIRE GAUGES



Low Pressure Gage, calibrated two sides from 2 to 20 lbs. in 1lb units

Part#
S917



Milton Radial and Conventional Passenger Tire Gage, 2 sides 5 to 50 PSI in 1 lb increments.

Part#
S921




Tractor Tire Gage (for use on air/water filled tires) calibrated 2 sides from 5 to 50 PSI in 1 lb units

Part#
S928



Tire gage for Bicycles, RV's & Trucks, 2 sides 20 to 120 PSI in 2 lb increments.

Part#
S925



Dual Chuck Pocket Truck Tire Gage, 2 sides 20 to 120 PSI in 2 lb. increments.

Part#
S927

DUAL FOOT TRUCK GAUGE



Regular Extension Service Gage (D.H. Chuck with Straight Foot for the newer style inner Duals.)

Part#	Description
G260BK	Truck Gauge w/metal bar
G220	Pocket Truck Gauge



Regular Extension Service Gage (D.H. Chuck with Straight Foot for the newer style inner Duals.)

Part#
G265BK

DUAL FOOT SERVICE GAUGE



Regular Extension Service Gage (D.H. Chuck with Dual Foot Head.

Part#
S976



STRAIGHT FOOT DUAL HEAD CHUCK SERVICE GAGE FOR INNER STYLE DUALS

Part#
S986

DUAL FOOT DIAL TRUCK GAUGE



For all cars and trucks
5-160 psi Dual foot chuck
Push button valve bleeds air to desired pressure
Needle holds reading until released

Part#
TG160



DUAL STRAIGHT LOCK ON CHUCK

Straight on 30 deg. reverse angle chuck. Has lock on feature. Has 1/4" NPT female thread. Available in 6" and 14" lengths.

Part#	Description
6568	6" Dual Foot Lock on Chuck
6568L	14" Dual Foot Lock on Chuck



Tapered chuck for easy valve access. Straight on chuck with deep well lock nuts which lock onto valve mouth when tilted. Black finish. 1/4" female NPT.

Part#	Description
AC25T	Lock on air chuck



DUAL FOOT AIR CHUCK

For hard to reach valves-truck, bus and tractor. 6" long. Plated finish. 1/4" female NPT.

Part#	Description
S690	Dual Foot Air Chuck
500-6	Dual Head Chuck Washer



CLOSED TYPE- AIR CHUCKS

For live air lines ONLY.
Do not use on tire changers or inflation gauges.

Part#	Description
AC18	Air Chuck 1/4" NPT



Part#	Description
S698	Air Chuck w/clip



Lock on design. Push forward to lock on. Pull back to release. 1/4" NPT

Part#	Description
H5265	Lock on Chuck





AIR CHUCKS

CLOSED TYPE- AIR CHUCKS FOR LIVE AIR LINES ONLY



Push on design. Push on to valve stem to lock. Pull back collar to release. 1/4" NPT

Part#	Description
S696	Lock on Chuck



Ball foot chuck. All brass non locking Air Chuck. 1/4" NPT

Part#	Description
S699	Ball Foot Chuck


OPEN TYPE- AIR CHUCKS FOR TIRE CHANGERS & INFLATION GAUGES ONLY



Part#	Description
AC18F	Air Chuck 1/4" NPT



Part#	Description
598	Air Chuck w/clip
S692	Air Chuck Clip



Part#	Description
AC17F	Euro Style Chuck



Part#	Description
500-46	Push on Air Chuck



Part#	Description
500-44	Air Chuck for Tire Changers & Inflators



VALVE FISHING TOOL

Combines valve core wrench and deflating pin with flexible cable for fishing valve thru rim hole. Available in 12 or 24" lengths.



Part#	Description
447	12" Cable Fishing Tool
TL645-24	24" Cable Fishing Tool
TL650	12" Chain Fishing Tool

TUBE DEFLATORS

Part#	Description
VH3216	Tube Deflator
450	Tube Deflator



450



VH3216

BRASS REDUCER BUSHINGS

Part#	Description
651-1	Reducer Bushing 1/2" Male NPT x 1/4" Female NPT
652	Reducer Bushing 1/2" Male NPT x 3/8" Female NPT



TANK VALVES

Part#	Description
S684	Tank Valve 1/8" NPT Male
684-4	Tank Valve 1/4" NPT Male





INFLATOR GAUGES

INFLATOR GAUGE



I-405 Inflating Gauge Meets OSHA Requirements

Inflation unit with in-line gauge. Lightweight aluminum body with brass movement and O-ring seals. Calibrated 10-120 psi in 2 lb. increments - precise inflation control - female NPT inlet with CH-360-OP clip-on air chuck. Replacement cartridge is available. Order Part I-405-D. Also available with hose lengths of 3' or 9'. Specify length when ordering.

Part#	Description	Hose Length
I-405-3M	Inflator with Clip-on Air Chuck	3'
I-405-6M	Inflator with Clip-on Air Chuck	6'
I-405-9M	Inflator with Clip-on Air Chuck	9'
I-405-12M	Inflator with Clip-on Air Chuck	12'
I-405-3LOM	Inflator with Lock-on Air Chuck	3'
I-405-6LOM	Inflator with Lock-on Air Chuck	6'
I-405-9LOM	Inflator with Lock-on Air Chuck	9'
I-405-12LOM	Inflator with Lock-on Air Chuck	12'

LARGE BORE INFLATOR GAUGE




I-409 Large Bore Inflation Gauge

Large Bore inflation unit with in-line gauge. Equipped with H-4660A chuck and a 6' hose. Gauge is calibrated 10-120 psi in 2 lb. increments.

Part#
I409

MUTLIPLIE TIRE INFLATOR



This is a hose assembly with a manifold that has four hose connections with the 6568 air chucks that attach to the tire valves and a quick connect to attach to the inflator outlet hose.

Part#	Description
89-4HMN	1/4" 4-way Manifold
89MHT4	Four Hose Assembly



AIR LINE ACCESSORIES



BLO-GUNS

Part#
S115
S117

Description
M Style Pocket Blo-Gun
T Style Pocket Blo-Gun



Part#
S148

Description
Compact Safety Lever
Blo-gun



Part#
S150

Description
Rubber Tip Lever Blo-gun



BRASS HOSE ENDS

Part#
S600
S601
S602
S603
S605-2


Description
Male End 1/4"ID x 1/4" NPT
Male End 5/16"ID x 1/4" NPT
Male End 3/8" ID x 1/4" NPT
Male End 3/8"ID x 3/8" NPT
Female End 3/8"ID x 1/4"NPT



BRASS HOSE MENDERS

Part#
S640
S641
S642

Description
Mender 1/4" ID Both Ends
Mender 5/16"ID Both Ends
Mender 3/8" ID Both Ends





AIR COUPLERS

1/4" BASIC SIZE "M" STYLE



Part#	Description
S711	Coupler Assmby (715&727)

COUPLERS

Part #	Thread Type	NPT Size
S715	Female	1/4"
S716	Male	1/4"

PLUGS

Part #	Thread Type	NPT Size
S727	Male	1/4"
S728	Female	1/4"
730	Female	1/4"
731	Fem. Re-Cap	.305-32
732	Female	3/8"
733	Male	3/8"

1/4" BASIC SIZE "A" STYLE



Part#	Thread Type	NPT Size
S775	Female	1/4"
S777	Male	1/4"
S778	Female	1/4"

1/4" BASIC SIZE "T" STYLE



COUPLERS

Part Number	Thread Type	NPT Size
S785	Female	1/4"
787	Female	1/4"

PLUGS

Part Number	Thread Type	NPT Size
779	Female	.305-32
780	Female	.482-26
S783	Male	1/4"
S784	Female	1/4"

1/4" BASIC SIZE "L" STYLE



Part#	Thread Type	NPT Size
S790	Female	1/4"
S791	Male	1/4"
S792	Female	1/4"

3/8" BASIC SIZE "H" STYLE




Part Number	Thread Type	NPT Size
S1835	Female	3/8"
S1837	Male	3/8"
S1838	Female	3/8"
S1839	Male	1/4"



AIR COUPLERS & HOSES



3/8" BASIC SIZE "P" STYLE



COUPLERS

Part Number	Thread Type	NPT Size
S1803	Female	1/4"
S1805	Female	3/8"

PLUGS

Part Number	Thread Type	NPT Size
S1807	Male	3/8"
S1808	Female	3/8"
S1809	Male	1/4"

1/2" BASIC SIZE "G" STYLE



COUPLERS & PLUGS

Part Number	Thread Type	NPT Size
S1815	Female	1/2"
S1817	Male	1/2"
S1818	Female	1/2"
S1819	Male	3/8"

UNIVERSAL COUPLER



Fits "A", "M", or "T" style coupler plugs.

Part Number	Thread Type	NPT Size
1880	17-504 Female	1/4"

HOSE REELS



Air hose reel. Auto rewind. Metal Construction

Part#	Description
WEIAP3688	Hose Reel 3/8"
WEIAP3689	Hose Reel 1/2"

AIR HOSES

3/8X50' GOODYEAR AIR HOSE
1/2X50' GOODYEAR AIR HOSE



Part#	Description
ARO3825	3/8x25' Air Hose
ARO3850	3/8x50' Air Hose
ARO1250	1/2x50' Air Hose

TIRE MACHINE AIR HOSES



5 foot hose for Center Post Tire Machines. Comes with lock on air chuck.

Part#	Description
17-990	Tire Machine Hose for Coats
17-990F	Tire Machine Hose for FMC

